AMENDMENTS TO THE CLAIMS

This Listing of Claims will replace all prior versions, and listings, of claims in the application. Please amend Claims 1,3-5, and 22-24 as indicated in the following Listing of Claims.

Listing of Claims

- 1. (Currently amended) A method for detecting eompounds a compound that affect affects cell proliferation comprising:
- (a) adding a compound having unknown cellular proliferative activity to a first cell culture;
 - (b) measuring the amount of HSPG in the first cell culture; and
- (c) comparing the amount of HSPG in the first cell culture to the amount of HSPG in a second cell culture not treated with the compound;

wherein an increase or decrease in the amount of HSPG in the first cell culture as compared to the amount of HSPG in the second cell culture indicates that the compound affects cell proliferation.

2. (Canceled)

- 3. (Currently amended) The method of elaim 2 Claim 1, wherein the HSPG is perlecan, syndecan, or glypican.
- 4. (Currently amended) The method of claim 2 Claim 1, wherein the HSPG is perlecan.
- 5. (Currently amended) The method of elaim Claim 1, wherein the compound is a chemical element, molecule, compound, mixture, emulsion, chemotherapeutic agent, pharmacological agent, hormone, antibody, growth factor, cellular factor, nucleic acid, protein, peptide, peptidomimetic, nucleotide, carbohydrate, and combinations, fragments, analogs or derivatives of such entitities.

6-16. (Canceled)

- 17. (Previously presented) The method of Claim 1, wherein the compound stimulates production of HSPG.
- 18. (Previously presented) The method of Claim 1, wherein the compound inhibits production of HSPG.
- 19. (Previously presented) The method of Claim 1, wherein the compound stabilizes production of HSPG.
- 20. (Previously presented) The method of Claim 1, wherein the first cell culture and second cell culture are grown in serum-containing media.
- 21. (Previously presented) The method of Claim 1, wherein the first cell culture and second cell culture are grown in serum-free media.
- 22. (Currently amended) A method for detecting eompounds a compound that affect affects cell proliferation comprising:
- (a) adding a compound having unknown cellular proliferative activity to a first cell culture;
 - (b) measuring the amount of perlecan in the first cell culture; and
- (c) comparing the amount of perlecan in the first cell culture to the amount of perlecan in a second cell culture not treated with the compound;

wherein an increase or decrease in the amount of perlecan in the first cell culture as compared to the amount of perlecan in the second cell culture indicates that the compound affects cell proliferation.

- 23. (Currently amended) A method for detecting eompounds a compound that affect affects cell proliferation comprising:
- (a) adding a compound having unknown cellular proliferative activity to a first cell culture;
 - (b) measuring the amount of syndecan in the first cell culture; and
- (c) comparing the amount of syndecan in the first cell culture to the amount of syndecan in a second cell culture not treated with the compound;

wherein an increase or decrease in the amount of syndecan in the first cell culture as compared to the amount of syndecan in the second cell culture indicates that the compound affects cell proliferation.

- 24. (Currently amended) A method for detecting eompounds a compound that affect affects cell proliferation comprising:
- (a) adding a compound having unknown cellular proliferative activity to a first cell culture;
 - (b) measuring the amount of glypican in the first cell culture; and
- (c) comparing the amount of glypican in the first cell culture to the amount of glypican in a second cell culture not treated with the compound;

wherein an increase or decrease in the amount of glypican in the first cell culture as compared to the amount of glypican in the second cell culture indicates that the compound affects cell proliferation.